

Plastic conduit systems
AS/NZS 2053







ABOUT US

Guangdong Ctube Industry Co., Ltd is a professional research and development , manufacturing and sales of highest quality AS/NZS 2053 electrical conduits & fittings, solar conduits & fittings, Low smoke halogen conduits & fittings, UL651 electrical conduits & fittings, CSA electrical conduits & fittings, etc.We have established more than ten years of product development and production experience , passed the ISO 9001, ISO14001 certification. Our factory accupies more than 100,000 square meters and have modern manufacturing of 50 injection and 30 extruder machines. We support customization for special projects.

CTUBE AS/NZS 2053 electrical conduits & fittings are AS/NZS 2053 approved. This series of conduits and fittings, both have good impact resistance and compression resistance, the flame retardant level reaches V0 and UV resistance, suitable for indoor and outdoor projects.



ISO System Certification




ASNZS 2053



Light Ageing Test-UV Exposure





MD Electrical Corrugated Conduit Grey

Comply with AS/NZS 2053, Medium duty grey
 Flame retardant, Resistance to UV
 Resistance to compression Minimum 750Nt/5cm

ITEM NO	DESCRIPTION	UNIT	QTY
CT-MDCCY1625	MD CORRUGATED CONDUIT GREY 16MM X 25M	ROLL	1
CT-MDCCY1650	MD CORRUGATED CONDUIT GREY 16MM X 50M	ROLL	1
CT-MDCCY2010	MD CORRUGATED CONDUIT GREY 20MM X 10M	ROLL	1
CT-MDCCY2020	MD CORRUGATED CONDUIT GREY 20MM X 20M	ROLL	1
CT-MDCCY2050	MD CORRUGATED CONDUIT GREY 20MM X 50M	ROLL	1
CT-MDCCY2510	MD CORRUGATED CONDUIT GREY 25MM X 10M	ROLL	1
CT-MDCCY2520	MD CORRUGATED CONDUIT GREY 25MM X 20M	ROLL	1
CT-MDCCY2550	MD CORRUGATED CONDUIT GREY 25MM X 50M	ROLL	1
CT-MDCCY3210	MD CORRUGATED CONDUIT GREY 32MM X 10M	ROLL	1
CT-MDCCY3225	MD CORRUGATED CONDUIT GREY 32MM X 25M	ROLL	1
CT-MDCCY4010	MD CORRUGATED CONDUIT GREY 40MM X 10M	ROLL	1
CT-MDCCY4025	MD CORRUGATED CONDUIT GREY 40MM X 25M	ROLL	1
CT-MDCCY5010	MD CORRUGATED CONDUIT GREY 50MM X 10M	ROLL	1
CT-MDCCY5025	MD CORRUGATED CONDUIT GREY 50MM X 25M	ROLL	1
CT-MDCCY6310	MD CORRUGATED CONDUIT GREY 63MM X 10M	ROLL	1



HD Electrical Corrugated Conduit Orange

Comply with AS/NZS 2053, Heavy duty orange
 Flame retardant, Resistance to UV
 Resistance to compression Minimum 1250Nt/5cm

ITEM NO	DESCRIPTION	UNIT	QTY
CT-HDCCOR2010	HD CORRUGATED CONDUIT ORANGE 20MM X 10M	ROLL	1
CT-HDCCOR2025	HD CORRUGATED CONDUIT ORANGE 20MM X 25M	ROLL	1
CT-HDCCOR2050	HD CORRUGATED CONDUIT ORANGE 20MM X 50M	ROLL	1
CT-HDCCOR2510	HD CORRUGATED CONDUIT ORANGE 25MM X 10M	ROLL	1
CT-HDCCOR2525	HD CORRUGATED CONDUIT ORANGE 25MM X 25M	ROLL	1
CT-HDCCOR2550	HD CORRUGATED CONDUIT ORANGE 25MM X 50M	ROLL	1
CT-HDCCOR3210	HD CORRUGATED CONDUIT ORANGE 32MM X 10M	ROLL	1
CT-HDCCOR3225	HD CORRUGATED CONDUIT ORANGE 32MM X 25M	ROLL	1
CT-HDCCOR4010	HD CORRUGATED CONDUIT ORANGE 40MM X 10M	ROLL	1
CT-HDCCOR4025	HD CORRUGATED CONDUIT ORANGE 40MM X 25M	ROLL	1
CT-HDCCOR5010	HD CORRUGATED CONDUIT ORANGE 50MM X 10M	ROLL	1
CT-HDCCOR5025	HD CORRUGATED CONDUIT ORANGE 50MM X 25M	ROLL	1
CT-HDCCOR6310	HD CORRUGATED CONDUIT ORANGE 63MM X 10M	ROLL	1



MD Communication Corrugated Conduit White

Comply with AS/NZS 2053
 Medium duty white, Flame retardant
 Resistance to compression Minimum 750Nt/5cm

ITEM NO	DESCRIPTION	UNIT	QTY
CT-MDCCW2025	MD COMMUNICATION CORRUGATED CONDUIT WHITE 20MM X 25M	ROLL	1
CT-MDCCW2050	MD COMMUNICATION CORRUGATED CONDUIT WHITE 20MM X 50M	ROLL	1
CT-MDCCW2525	MD COMMUNICATION CORRUGATED CONDUIT WHITE 25MM X 25M	ROLL	1
CT-MDCCW2550	MD COMMUNICATION CORRUGATED CONDUIT WHITE 25MM X 50M	ROLL	1
CT-MDCCW3225	MD COMMUNICATION CORRUGATED CONDUIT WHITE 32MM X 25M	ROLL	1
CT-MDCCW4025	MD COMMUNICATION CORRUGATED CONDUIT WHITE 40MM X 25M	ROLL	1
CT-MDCCW5025	MD COMMUNICATION CORRUGATED CONDUIT WHITE 50MM X 25M	ROLL	1
CT-MDCCW6310	MD COMMUNICATION CORRUGATED CONDUIT WHITE 63MM X 10M	ROLL	1



MD Electrical Rigid Conduit Grey

Comply with AS/NZS 2053, Medium duty grey
 Flame retardant, Resistance to UV
 Resistance to compression Minimum 750Nt/5cm

ITEM NO	DESCRIPTION	W.T		L(m)	UNIT	QTY
		Min(mm)	Max(mm)			
CT-MDRCY16	MD RIGID CONDUIT GREY 16MM	1.6	1.9	4	bundle	15
CT-MDRCY20	MD RIGID CONDUIT GREY 20MM	1.8	2.1	4	bundle	15
CT-MDRCY25	MD RIGID CONDUIT GREY 25MM	1.8	2.1	4	bundle	10
CT-MDRCY32	MD RIGID CONDUIT GREY 32MM	2.1	2.4	4	bundle	10
CT-MDRCY40	MD RIGID CONDUIT GREY 40MM	2.4	2.7	4	bundle	5
CT-MDRCY50	MD RIGID CONDUIT GREY 50MM	2.8	3.1	4	bundle	5
CT-MDRCY63	MD RIGID CONDUIT GREY 63MM	3.0	3.5	4	bundle	5
CT-MDRCY80	MD RIGID CONDUIT GREY 80MM	3.5	4.1	4	bundle	1
CT-MDRCY100	MD RIGID CONDUIT GREY 100MM	4.5	5.2	4	bundle	1
CT-MDRCY125	MD RIGID CONDUIT GREY 125MM	5.5	6.3	4	bundle	1
CT-MDRCY150	MD RIGID CONDUIT GREY 150MM	6.3	7.1	4	bundle	1



HD Electrical Rigid Conduit Orange

Comply with AS/NZS 2053, Heavy duty orange
 Flame retardant, Resistance to UV
 Resistance to compression Minimum 1250Nt/5cm


ITEM NO	DESCRIPTION	W.T		L(m)	UNIT	QTY
		Min(mm)	Max(mm)			
CT-HDRCOR20	HD RIGID CONDUIT ORANGE 20MM	2.3	2.6	4	bundle	15
CT-HDRCOR25	HD RIGID CONDUIT ORANGE 25MM	2.5	2.8	4	bundle	15
CT-HDRCOR32	HD RIGID CONDUIT ORANGE 32MM	2.7	3	4	bundle	10
CT-HDRCOR40	HD RIGID CONDUIT ORANGE 40MM	3.1	3.4	4	bundle	10
CT-HDRCOR50	HD RIGID CONDUIT ORANGE 50MM	3.4	3.9	4	bundle	5
CT-HDRCOR63	HD RIGID CONDUIT ORANGE 63MM	3.9	4.5	4	bundle	5
CT-HDRCOR80	HD RIGID CONDUIT ORANGE 80MM	4.6	5.3	4	bundle	5
CT-HDRCOR100	HD RIGID CONDUIT ORANGE 100MM	5.9	6.7	4	bundle	1
CT-HDRCOR125	HD RIGID CONDUIT ORANGE 125MM	7.2	8.1	4	bundle	1
CT-HDRCOR150	HD RIGID CONDUIT ORANGE 150MM	8.3	9.3	4	bundle	1



MD Communication Rigid Conduit White

Comply with AS/NZS 2053, Medium duty white
 Flame retardant, Resistance to UV
 Resistance to compression Minimum 750Nt/5cm


ITEM NO	DESCRIPTION	W.T		L(m)	UNIT	QTY
		Min(mm)	Max(mm)			
CT-MDRCW16	MD COMMUNICATION RIGID CONDUIT WHITE 16MM	1.6	1.9	4	bundle	15
CT-MDRCW20	MD COMMUNICATION RIGID CONDUIT WHITE 20MM	1.8	2.1	4	bundle	15
CT-MDRCW25	MD COMMUNICATION RIGID CONDUIT WHITE 25MM	1.8	2.1	4	bundle	10
CT-MDRCW32	MD COMMUNICATION RIGID CONDUIT WHITE 32MM	2.1	2.4	4	bundle	10
CT-MDRCW40	MD COMMUNICATION RIGID CONDUIT WHITE 40MM	2.4	2.7	4	bundle	5
CT-MDRCW50	MD COMMUNICATION RIGID CONDUIT WHITE 50MM	2.8	3.1	4	bundle	5
CT-MDRCW63	MD COMMUNICATION RIGID CONDUIT WHITE 63MM	3.0	3.5	4	bundle	5
CT-MDRCW80	MD COMMUNICATION RIGID CONDUIT WHITE 80MM	3.5	4.1	4	bundle	1
CT-MDRCW100	MD COMMUNICATION RIGID CONDUIT WHITE 100MM	4.5	5.2	4	bundle	1
CT-MDRCW125	MD COMMUNICATION RIGID CONDUIT WHITE 125MM	5.5	6.3	4	bundle	1
CT-MDRCW150	MD COMMUNICATION RIGID CONDUIT WHITE 150MM	6.3	7.1	4	bundle	1



Adaptable Box

Comply with AS/NZS 2053
 Flame retardant
 Resistance to UV
 With stainless steel screws and waterpoo ring
 IP67

ITEM NO	SIZE	INNER PACKING		OUTER PACKING	
	L.W.H	UNIT	QTY	UNIT	QTY
CT-AB8562	85x85x62mm	PAK	1	CTN	96
CT-AB10850	108x108x50mm	PAK	1	CTN	63
CT-AB10876	108x108x76mm	PAK	1	CTN	45
CT-AB16381	163x108x81mm	PAK	1	CTN	42
CT-AB21181	211x108x81mm	PAK	1	CTN	18
CT-AB300152	300x200x152mm	PAK	1	CTN	4
CT-AB300200	300x200x200mm	PAK	1	CTN	4





Shallow Junction Box Grey

- Comply with AS/NZS 2053
- Flame retardant
- Resistance to UV
- With stainless steel screws

ITEM NO	DESCRIPTION	INNER PACKING		OUTER PACKING	
		UNIT	QTY	UNIT	QTY
CT-SJB20-1	SHALLOW JUNCTION BOX GREY 1 WAY 20MM	BOX	10	CTN	200
CT-SJB20-2	SHALLOW JUNCTION BOX GREY 2 WAY 20MM	BOX	10	CTN	200
CT-SJB20-2V	SHALLOW JUNCTION BOX GREY 2 WAY ANGLE 20MM	BOX	10	CTN	200
CT-SJB20-3	SHALLOW JUNCTION BOX GREY 3 WAY 20MM	BOX	10	CTN	200
CT-SJB20-4	SHALLOW JUNCTION BOX GREY 4 WAY 20MM	BOX	10	CTN	200
CT-SJB25-1	SHALLOW JUNCTION BOX GREY 1 WAY 25MM	BOX	10	CTN	200
CT-SJB25-2	SHALLOW JUNCTION BOX GREY 2 WAY 25MM	BOX	10	CTN	200
CT-SJB25-2V	SHALLOW JUNCTION BOX GREY 2 WAY ANGLE 25MM	BOX	10	CTN	200
CT-SJB25-3	SHALLOW JUNCTION BOX GREY 3 WAY 25MM	BOX	10	CTN	200
CT-SJB25-4	SHALLOW JUNCTION BOX GREY 4 WAY 25MM	BOX	10	CTN	200
CT-SJB32-1	SHALLOW JUNCTION BOX GREY 1 WAY 32MM	BOX	10	CTN	200
CT-SJB32-2	SHALLOW JUNCTION BOX GREY 2 WAY 32MM	BOX	10	CTN	200
CT-SJB32-2V	SHALLOW JUNCTION BOX GREY 2 WAY ANGLE 32MM	BOX	10	CTN	200
CT-SJB32-3	SHALLOW JUNCTION BOX GREY 3 WAY 32MM	BOX	10	CTN	200
CT-SJB32-4	SHALLOW JUNCTION BOX GREY 4 WAY 32MM	BOX	10	CTN	200



Deep Junction Box Grey

Comply with AS/NZS 2053
 Flame retardant
 Resistance to UV
 With stainless steel screws

ITEM NO	DESCRIPTION	INNER PACKING		OUTER PACKING	
		UNIT	QTY	UNIT	QTY
CT-DJB20-1	DEEP JUNCTION BOX GREY 1 WAY 20MM	BOX	10	CTN	200
CT-DJB20-2	DEEP JUNCTION BOX GREY 2 WAY 20MM	BOX	10	CTN	200
CT-DJB20-2V	DEEP JUNCTION BOX GREY 2 WAY ANGLE 20MM	BOX	10	CTN	200
CT-DJB20-3	DEEP JUNCTION BOX GREY 3 WAY 20MM	BOX	10	CTN	200
CT-DJB20-4	DEEP JUNCTION BOX GREY 4 WAY 20MM	BOX	10	CTN	200
CT-DJB25-1	DEEP JUNCTION BOX GREY 1 WAY 25MM	BOX	10	CTN	200
CT-DJB25-2	DEEP JUNCTION BOX GREY 2 WAY 25MM	BOX	10	CTN	200
CT-DJB25-2V	DEEP JUNCTION BOX GREY 2 WAY ANGLE 25MM	BOX	10	CTN	200
CT-DJB25-3	DEEP JUNCTION BOX GREY 3 WAY 25MM	BOX	10	CTN	200
CT-DJB25-4	DEEP JUNCTION BOX GREY 4 WAY 25MM	BOX	10	CTN	200
CT-DJB32-1	DEEP JUNCTION BOX GREY 1 WAY 32MM	BOX	10	CTN	200
CT-DJB32-2	DEEP JUNCTION BOX GREY 2 WAY 32MM	BOX	10	CTN	200
CT-DJB32-2V	DEEP JUNCTION BOX GREY 2 WAY ANGLE 32MM	BOX	10	CTN	200
CT-DJB32-3	DEEP JUNCTION BOX GREY 3 WAY 32MM	BOX	10	CTN	200
CT-DJB32-4	DEEP JUNCTION BOX GREY 4 WAY 32MM	BOX	10	CTN	200



Disposable Lid Orange

Comply with AS/NZS 2053
 Flame retardant
 Suitable for all junction box

ITEM NO	SIZE	OUTER PACKING	
		UNIT	QTY
CT-DLO	Disposable Lid orange	CTN	200



MD Sweep Bend Grey

Comply with AS/NZS 2053
 Flame retardant
 Resistance to UV
 Join with conduit

ITEM NO	DESCRIPTION	OUTER PACKING	
		UNIT	QTY
CT-SWBY20	MD SWEEP BEND GREY 20MM	CTN	180
CT-SWBY25	MD SWEEP BEND GREY 25MM	CTN	135
CT-SWBY32	MD SWEEP BEND GREY 32MM	CTN	100
CT-SWBY40	MD SWEEP BEND GREY 40MM	CTN	35
CT-SWBY50	MD SWEEP BEND GREY 50MM	CTN	28
CT-SWBY63	MD SWEEP BEND GREY 63MM	CTN	20
CT-SWBY80	MD SWEEP BEND GREY 80MM	CTN	15
CT-SWBY100	MD SWEEP BEND GREY 100MM	CTN	9
CT-SWBY125	MD SWEEP BEND GREY 125MM	CTN	5
CT-SWBY150	MD SWEEP BEND GREY 150MM	CTN	5



HD Sweep Bend Orange

Comply with AS/NZS 2053
 Flame retardant
 Join with conduit, for underground

ITEM NO	DESCRIPTION	OUTER PACKING	
		UNIT	QTY
CT-SWBCOR20	HD SWEEP BEND ORANGE 20MM	CTN	180
CT-SWBCOR25	HD SWEEP BEND ORANGE 25MM	CTN	135
CT-SWBCOR32	HD SWEEP BEND ORANGE 32MM	CTN	100
CT-SWBCOR40	HD SWEEP BEND ORANGE 40MM	CTN	35
CT-SWBCOR50	HD SWEEP BEND ORANGE 50MM	CTN	28
CT-SWBCOR63	HD SWEEP BEND ORANGE 63MM	CTN	20
CT-SWBCOR80	HD SWEEP BEND ORANGE 80MM	CTN	15
CT-SWBCOR100	HD SWEEP BEND ORANGE 100MM	CTN	9
CT-SWBCOR125	HD SWEEP BEND ORANGE 125MM	CTN	5
CT-SWBCOR150	HD SWEEP BEND ORANGE 150MM	CTN	5



MD Sweep Bend White

Comply with AS/NZS 2053
 Flame retardant
 Join with conduit, for underground

ITEM NO	DESCRIPTION	OUTER PACKING	
		UNIT	QTY
CT-SWBW20	MD SWEEP BEND COMMUNICATION WHITE 20MM	CTN	180
CT-SWBW25	MD SWEEP BEND COMMUNICATION WHITE 25MM	CTN	135
CT-SWBW32	MD SWEEP BEND COMMUNICATION WHITE 32MM	CTN	100
CT-SWBW40	MD SWEEP BEND COMMUNICATION WHITE 40MM	CTN	35
CT-SWBW50	MD SWEEP BEND COMMUNICATION WHITE 50MM	CTN	28
CT-SWBW63	MD SWEEP BEND COMMUNICATION WHITE 63MM	CTN	20
CT-SWBW80	MD SWEEP BEND COMMUNICATION WHITE 80MM	CTN	15
CT-SWBW100	MD SWEEP BEND COMMUNICATION WHITE 100MM	CTN	9
CT-SWBW125	MD SWEEP BEND COMMUNICATION WHITE 125MM	CTN	5
CT-SWBW150	MD SWEEP BEND COMMUNICATION WHITE 150MM	CTN	5



Solid Elbow Grey

Comply with AS/NZS 2053
 Flame retardant
 Resistance to UV
 Join with conduit

ITEM NO	DESCRIPTION	INNER PACKING		OUTER PACKING	
		UNIT	QTY	UNIT	QTY
CT-SE20	SOLID ELBOW GREY 20MM	BAG	75	CTN	750
CT-SE25	SOLID ELBOW GREY 25MM	BAG	100	CTN	400
CT-SE32	SOLID ELBOW GREY 32MM	BAG	25	CTN	250



45Degree Elbow

Comply with AS/NZS 2053
 Flame retardant
 Resistance to UV
 Join with condui

ITEM NO	DESCRIPTION	INNER PACKING		OUTER PACKING	
		UNIT	QTY	UNIT	QTY
CT-45E25	45Degree Elbow 25MM	BAG	50	CTN	500

Standard Bend



Comply with AS/NZS 2053
 Flame retardant
 Resistance to UV
 Join with conduit
 Grey/orange/white

ITEM NO	DESCRIPTION	OUTER PACKING	
		UNIT	QTY
CT-STB20	STANDARD BEND GREY 20MM	CTN	180
CT-STB25	STANDARD BEND GREY 25MM	CTN	135
CT-STB32	STANDARD BEND GREY 32MM	CTN	75
CT-STB40	STANDARD BEND GREY 40MM	CTN	45
CT-STB50	STANDARD BEND GREY 50MM	CTN	36

90 Degree Elbows Grey



Comply with AS/NZS 2053
 Flame retardant
 Resistance to UV
 Join with conduit

ITEM NO	DESCRIPTION	INNER PACKING		OUTER PACKING	
		UNIT	QTY	UNIT	QTY
CT-PE16	90 DEGREE ELBOWS GREY 16MM	BAG	100	CTN	1000
CT-PE20	90 DEGREE ELBOWS GREY 20MM	BAG	50	CTN	500
CT-PE25	90 DEGREE ELBOWS GREY 25MM	BAG	30	CTN	300
CT-PE32	90 DEGREE ELBOWS GREY 32MM	BAG	20	CTN	200

Inspection Elbow



Comply with AS/NZS 2053
 Flame retardant, Resistance to UV
 Join with conduit, With stainless steel screws

ITEM NO	DESCRIPTION	INNER PACKING		OUTER PACKING	
		UNIT	QTY	UNIT	QTY
CT-IE20	Inspection Elbow 20MM	BAG	50	CTN	500
CT-IE25	Inspection Elbow 25MM	BAG	30	CTN	300



Solid Coupling

Comply with AS/NZS 2053
 Flame retardant
 Resistance to UV
 Join with conduit

ITEM NO	DESCRIPTION	INNER PACKING		OUTER PACKING	
		UNIT	QTY	UNIT	QTY
CT-SC16	SOLID COUPLING 16MM	BAG	150	CTN	1500
CT-SC20	SOLID COUPLING 20MM	BAG	100	CTN	1000
CT-SC25	SOLID COUPLING 25MM	BAG	60	CTN	600
CT-SC32	SOLID COUPLING 32MM	BAG	100	CTN	1000
CT-SC40	SOLID COUPLING 40MM	BAG	20	CTN	200
CT-SC50	SOLID COUPLING 50MM	BAG	10	CTN	100
CT-SC100	SOLID COUPLING 100MM	BAG	/	CTN	34



Plain to Screwed Adaptor

Comply with AS/NZS 2053
 Flame retardant
 Resistance to UV
 With ring

ITEM NO	DESCRIPTION	INNER PACKING		OUTER PACKING	
		UNIT	QTY	UNIT	QTY
CT-PSA20	Plain to Screwed Adaptor 20MM	BAG	100	CTN	1000
CT-PSA25	Plain to Screwed Adaptor 25MM	BAG	80	CTN	720
CT-PSA32	Plain to Screwed Adaptor 32MM	BAG	100	CTN	400
CT-PSA40	Plain to Screwed Adaptor 40MM	BAG	20	CTN	200
CT-PSA50	Plain to Screwed Adaptor 50MM	BAG	/	CTN	100



Lock rings

Comply with AS/NZS 2053
 Flame retardant
 Resistance to UV

ITEM NO	DESCRIPTION	INNER PACKING		OUTER PACKING	
		UNIT	QTY	UNIT	QTY
CT-LR20	LOCK RING 20MM	BAG	50	CTN	4000
CT-LR25	LOCK RING 25MM	BAG	50	CTN	2000
CT-LR32	LOCK RING 32MM	BAG	20	CTN	1000
CT-LR40	LOCK RING 40MM	BAG	20	CTN	1000
CT-LR50	LOCK RING 50MM	BAG	20	CTN	1000



Corrugated To Screw Adapters

Comply with AS/NZS 2053
 Flame retardant
 Resistance to UV
 With ring

ITEM NO	DESCRIPTION	INNER PACKING		OUTER PACKING	
		UNIT	QTY	UNIT	QTY
CT-CSA20	CORRUGATED TO SCREW ADAPTERS 20MM	BAG	100	CTN	1000
CT-CSA25	CORRUGATED TO SCREW ADAPTERS 25MM	BAG	60	CTN	600



Straight Tee

Comply with AS/NZS 2053
 Flame retardant
 Resistance to UV

ITEM NO	DESCRIPTION	INNER PACKING		OUTER PACKING	
		UNIT	QTY	UNIT	QTY
CT-ST16	STRAIGHT TEE 16MM	BAG	20	CTN	1000
CT-ST20	STRAIGHT TEE 20MM	BAG	20	CTN	1000
CT-ST25	STRAIGHT TEE 25MM	BAG	10	CTN	500
CT-ST32	STRAIGHT TEE 32MM	BAG	10	CTN	200



Inspection Tee

Comply with AS/NZS 2053
 Flame retardant, Resistance to UV
 Join with conduit, With stainless steel screws

ITEM NO	DESCRIPTION	INNER PACKING		OUTER PACKING	
		UNIT	QTY	UNIT	QTY
CT-IE20	Inspection Tee 20MM	BAG	50	CTN	200
CT-IE25	Inspection Tee 25MM	BAG	/	CTN	130



Extension Ring

Comply with AS/NZS 2053
 Flame retardant
 Resistance to UV

ITEM NO	DESCRIPTION	INNER PACKING		OUTER PACKING	
		UNIT	QTY	UNIT	QTY
CT-ER	Extension Ring	BAG	50	CTN	500



End cap

Comply with AS/NZS 2053

Flame retardant

Resistance to UV

ITEM NO	DESCRIPTION	INNER PACKING		OUTER PACKING	
		UNIT	QTY	UNIT	QTY
CT-EC25	End Cap 25MM	BAG	100	CTN	1200



U Clip

Comply with AS/NZS 2053

Flame retardant

Resistance to UV

ITEM NO	DESCRIPTION	INNER PACKING		OUTER PACKING	
		UNIT	QTY	UNIT	QTY
CT-UC16	U CLIP 16MM	BAG	600	CTN	6000
CT-UC20	U CLIP 20MM	BAG	400	CTN	4000
CT-UC25	U CLIP 25MM	BAG	300	CTN	2400
CT-UC32	U CLIP 32MM	BAG	200	CTN	1800
CT-UC40	U CLIP 40MM	BAG	20	CTN	200
CT-UC50	U CLIP 50MM	BAG	10	CTN	100



Half Saddle with nail

Galvanized steel
Thickness 1.1-1.2mm

ITEM NO	DESCRIPTION	INNER PACKING		OUTER PACKING	
		UNIT	QTY	UNIT	QTY
CT-HS20	Half Saddle with nail 20MM	BAG	50	CTN	1000
CT-HS25	Half Saddle with nail 25MM	BAG	50	CTN	1000
CT-HS32	Half Saddle with nail 32MM	BAG	25	CTN	500
CT-HS40	Half Saddle with nail 40MM	BAG	25	CTN	500
CT-HS50	Half Saddle with nail 50MM	BAG	25	CTN	500



Full Saddle

Galvanized steel
Thickness 1.1-1.2mm

ITEM NO	DESCRIPTION	INNER PACKING		OUTER PACKING	
		UNIT	QTY	UNIT	QTY
CT-FS20	Full Saddle 20MM	BAG	50	CTN	1000
CT-FS25	Full Saddle 25MM	BAG	50	CTN	1000
CT-FS32	Full Saddle 32MM	BAG	25	CTN	500
CT-FS40	Full Saddle 40MM	BAG	25	CTN	500
CT-FS50	Full Saddle 50MM	BAG	25	CTN	500



Head Office

TAIWAN CTUBE PIPE INDUSTRY TECHNOLOGY CO.LTD

- ☎ Service Hotline: 400-992-3828
- 🌐 <https://www.ctube-gr.com/>
- ✉ Email: info@c-tube.net

Ctube Marketing Sales Centre

- 📍 Room 5606, Building 18 of Dongjiang Zhixing, No. 8 Hongfu West Road, Wanjiang District, Dongguan City, Guangdong Province, China
- ☎ +86-769-8120071
- ☎ +86 15817718199
- ✉ info@c-tube.net

Factory Centre A

GUANGDONG CTUBE INDUSTRY CO.LTD

- 📍 A.B.C Zone, ChenTang NiNiu Industry JiaoLi Village ZhongTang Town Dongguan City China.
- ☎ +86-769-81200072
- ☎ +86-769-81200075
- ✉ info@c-tube.net

Factory Centre B

CTUBE(LECHANG)PIPE INDUSTRY TECHNOLOGY CO.LTD

- 📍 No. 12, Huanyuan East Road, Lechang Industrial Transfer Industrial Park, Lechang City, Shaoguan City, China
- ☎ 0751-5583311
- ☎ 0751-5583399.
- ✉ info@c-tube.net